SAFETY DATA SHEET



CASCOL TRÄLIM UTE

1. Identification of the substance/preparation and of the company/undertaking

Product name	: CASCOL TRÄLIM Ute	Supplier/ Manufacturer	: Akzo Nobel Deco International AB P.O. Box 11550 100 61 Stockholm Sweden Tel. +00468 7434000 Fax. +00468 6436370
Product number Chemical description	: 3337 : Dispersion based adhesive	Emergency telephone number	: 020-996000 (Emergency Response Center)
Material Uses	: Wood adhesives		,

2. Composition / information on ingredients

Chemical name*	CAS No.	%	EC Number	Classification
Sweden				
2-methyl -3(2H)-Isothiazolone (MIT) 1,2-Benzisothiazol-3(2H)-one	2682-20-4 2634-33-5	.005-0.02	220-239-6 220-120-9	Xn; R20/22, C; R34, R43, N; R50 Xn; R22, Xi; R38-41, R43, N; R50
5-chloro-2-methyl-2H-isothiazol-3-one: 2-methyl-2H-isothiazol-3-one (3:1) Polyvinyl acetate diethylene glycol monobutyl ether acetate	55965-84-9 9003-20-7 124-17-4	<0.001 30-60 1-2.5	 204-685-9	T; R23/24/25, C; R34, R43, N; R50/53

See Section 16 for the full text of the R Phrases declared above

Legend: T=Toxic, Xn=Harmful, Xi=Irritating,F+=Extremely flammable, F=Highly flammable, N=Dangerous for the environment, C=Corrosive.

* Occupational Exposure Limit(s), if available, are listed in section 8

3. Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Others

Not classified. The product is not classified as harmful.

4. First-aid measures

First-Aid measures

Inhalation	:
Ingestion	:
Skin Contact	: Wash with soap and water.
Eye Contact	: Check for and remove any contact lenses. Rinse with water.

5. Fire-fighting measures

Extinguishing Media suitable: : Small fire: Use DRY chemical powder. Large fire: Use water spray, fog or foam. Do not use water jet. Hazardous thermal (de)composition products : --

CASCOL TRÄLIM UTE

6. Accidental release measures

Personal precautions

Environmental Precautions and Clean-up Methods

: When handling the product good industrial hygienic standard should always be maintained.

: Absorb with an inert material and put it in an appropriate waste disposal. Smaller quantities can be rinsed with water before the product has dried.

Note: See section 8 for personal protective equipment and section 13 for waste disposal.

7. Handling and storage

Handling Storage

When handling the product good industrial hygienic standard should always be maintained.
Keep container tightly closed. Keep container in a cool, well-ventilated area. Store between 0 to 30°C (32 to 86°F).

8. Exposure controls/personal protection

Engineering measures Hygiene measures		 Ventilation should be provided at working premises if the product contain volatile components (see composition). When handling the product good industrial hygienic standard should always be maintained. 			
Ingredient		Occupational Exposure Limits			
Diethylene glycol monobutyl eth	er acetate	AFS (Sweden, 2000). KTV: 250 mg/m ³ 15 minutes. KTV: 30 ppm 15 minutes. NGV: 130 mg/m ³ 8 hours. NGV: 15 ppm 8 hours.			
Personal protective equipment					
General	: Depending or	handled quantities and working conditions, use the following recommended protective equipment.			

Respiratory system	:	
Skin and body	:	
Hands	:	
Eyes	:	

9. Physical and chemical properties

Physical state	: Liquid.
Color	: White.
pH	: 3 [Acidic.]
Boiling Point	:
Flash point	: Closed cup: >100°C (212°F).
Density	: 1100 kg/m ³
Solubility	: Easily dispersed in any proportion in cold water and hot water.

10. Stability and reactivity

Stability

: The product is stable.

Hazardous Decomposition Products :

11. Toxicological information

Other

: The product is not classified as harmful.

CASCOL TRÄLIM UTE

\mathbf{c} .

12. Ecological information				
Ecotoxicity	: The product is not classified as dangerous for the environment from available data and current legislation.			
13. Disposal conside	rations			
Remains and non-cured product	: Non-hazardous waste			
Cured product	: Cured product is not dangerous waste, and can be disposed as other waste.			
European Waste Catalogue (EWC)	: 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09			
Packaging	 Packages with remains is handled according to above. Empty packages can be left for recycling. For Sweden: Akzo Nobel Deco International AB are connected to the REPA-system (org.nr. 556026-1876). Please contact local authority for information advise on waste. 			

14. Transport information

Regulatory Information	UN number	Proper shipping name	Class	Packing Group	Label	Additional information
ADR/RID Class	Not regulated.	-	-			-
ADN Class	Not regulated.	-	-			-
IMDG Class	Not regulated.	-	-			-
IATA-DGR Class	Not regulated.	-	-			-

National regulations

Sweden

Risk Phrases : Not classified.

: ---

Safety Phrases

16. Other information

Full text of R-Phrases with no. appearing in Section 2 and 3 - Sweden	:	 R20/22- Harmful by inhalation and if swallowed. R22- Harmful if swallowed. R23/24/25- Toxic by inhalation, in contact with skin and if swallowed. R34- Causes burns. R38- Irritating to skin. R41- Risk of serious damage to eyes. R43- May cause sensitization by skin contact. R50- Very toxic to aquatic organisms. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Text of classifications appearing in Section 2 and 3 - Sweden	:	T -Toxic C -Corrosive Xn - Harmful Xi -Irritant. N - Dangerous for the environment.
HISTORY		
Date of printing	:	27 July 2004
Date of issue	:	27 July 2004
Date of Previous Issue	:	No Previous Validation.
Version	:	1
Prepared by	:	Susanne Grönvall
Date of issue	:	27 July 2004 Page: 3/4

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version 1	Page: 4/4