Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources		- (-,,		0, 111 01 01	
Supplier's nam	e or trade mark:	OSRAM			
Supplier's addi	ess: LEDVANCE G	SmbH, Parkring 33, G	Garching, Germany		
Model identifie	er: AC34129				
Type of light so	ource:				
Lighting techno	ology used:	other FL	Non-directional or directional:	NDLS	
Light source cap-type		G13			
(or other electric interface)					
Mains or non-n	nains:	NMLS	Connected light source (CLS):	No	
Colour-tuneabl	e light source:	No	Envelope:	-	
High luminance light source:		No			
Anti-glare shield:		No	Dimmable:	Yes	
Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		40	Energy efficiency class	G	
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		3 250 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode power (P _{on}), expressed in W		39,4	Standby power (P _{sb}), expressed in W and rounded to the second decimal	0,00	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80	
Outer	Height	1 213	Spectral power	See image	
dimensions	Width	25	distribution in the	in last page	
without	Depth	25			

separate control gear, lighting control parts and non- lighting control parts, if any (millimetre)	range 250 nm to 800 nm, at full-load	
Claim of equivalent power ^(a)	- If yes, equivalent power (W)	-
	Chromaticity coordinates (x and y)	0,463 0,420

(a)'-': not applicable; (b)'-': not applicable;

